



Project Name: _____

Location: _____

Item #: _____ Qty: _____

Model: _____

MIM80 SELF-CONTAINED ICE MACHINE

MODEL: MIM80



The MIM80 self-contained, air-cooled ice machine is perfect for any free-standing or built-in application. Each unit features a self-contained storage bin and a durable, easy to clean stainless steel and black plastic trim exterior. The easy-to-use controls, front-breathing design with vertical evaporator and proven ice making technology will deliver years of reliable ice production.

FEATURES AND CONSTRUCTION

- Stainless steel exterior with black plastic trim
- Air cooled compressor
- Programmable, solid state, digital electronic control system.
- Built-in self cleaning mode
- Includes scoop
- Includes tubing for supply and drain lines

DAILY ICE PRODUCTION

Air Temp 70°F (21°C) / Water Temp 50°F (10°C)
MIM80 88 lbs (40 kg)

Air Temp 90°F (32°C) / Water Temp 70°F (21°C)
MIM80 56 lbs (31 kg)

ICE BIN STORAGE CAPACITY


MIM80 25 lbs (11 kg)

OPERATING REQUIREMENTS

Ambient Air Temperature Range..... 50° to 100°F (10° to 38°C)
 Water Temperature Range 41° to 90°F (5° to 32°C)
 Water Usage per 100 lbs of ice..... 21 Gallons (80L)
 Water Supply Line Connection 3/8" FPT
 Water Pressure Range:
 Min PSI..... 15 Max PSI 75*
 Min Bar 1.0 Max Bar 5.5
 *Above 75 PSI requires a regulator
 Energy Consumption per 100 lbs of ice:
 MIM80 11.96 kWh/100 lbs

ELECTRIC

115V / 60Hz / 1Ph
(230V / 50-60Hz / 1Ph is available as an option)
6' (2m) NEMA 5-15P cord set included



3RD PARTY APPROVALS



Intertek

Certified to ANSI NSF 12



Intertek

Certified to ANSI UL 563



Meets Energy Star Guidelines



Zero Ozone Depletion Potential

MAXX ICE WARRANTY (USA / CANADA)


Contact Maxx Ice for warranty statement at
TechnicalServices@TheLegacyCompanies.com or 877.368.2797




MAXX ICE

MIM80 SELF-CONTAINED ICE MACHINE


FRONT VIEW




SIDE VIEW



REAR VIEW



FULL DICE CUBE (ACTUAL SIZE)



MODEL	EXTERNAL DIMENSIONS	DAILY ICE PRODUCTION (70°F Air / 50°F Water)	ICE BIN STORAGE CAPACITY	NET WEIGHT / SHIPPING WEIGHT	AMP DRAW (NOMINAL/MAX)	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM80	16.7" x 21" x 32.7" (424 x 534 x 830 mm)	88 lbs (40 kg)	25 lbs (11kg)	93 lbs (42 kg) 104 lbs (47 kg)	3.8A / 4.7A	R-134a 4.66oz (132g)	115V / 60Hz / 1Ph

INSTALLATION

- A clearance of 2" from the wall is recommended to promote adequate cooling air circulation
- A gravity drain line is required to install this ice machine
- For optimal performance, the use of a water filter is recommended